

BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 24 NOS. 1-4

CONTENTS

JULY 1994

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

<i>Editorial Announcement</i>	v
<i>Guidelines for the submission of manuscripts</i>	vii
<i>Research Reports</i>	
Distribution of messenger RNA for the vasopressin V1a receptor in the CNS of male and female rats P. Szot, T.L. Bale and D.M. Dorsa (USA)	1
Expression of the gene encoding the extracellular matrix glycoprotein SPARC in the developing and adult mouse brain D.B. Mendis and I.R. Brown (Canada)	11
Kindled seizures induce a long-term increase in vasopressin mRNA R.S. Greenwood, R.B. Meeker, A. Abdou and J.N. Hayward (USA)	20
Differential neuropeptide Y gene expression in post-mitotic versus dividing neuroblastoma cells driven by an adeno-associated virus vector P. Wu, D. Ziska, M.A. Bonell, E. Grouzmann, W.J. Millard and E.M. Meyer (USA, Switzerland)	27
Changes in glutamate receptor and proenkephalin gene expression after kindled seizures S. Lee, J. Miskovsky, J. Williamson, R. Howells, O. Devinsky, E. Lothman and S. Christakos (USA)	34
Immediate early gene expression in axotomized and regenerating retinal ganglion cells of the adult rat G.A. Robinson (USA)	43
GABA _A receptors in mouse cortical homogenates are phosphorylated by endogenous protein kinase A M.H. Jalilian Tehrani and E.M. Barnes Jr. (USA)	55
Seizure-induced expression of G proteins in the rat hippocampus W. Lasoń and R. Przewłocki (Poland)	65
1,25-Dihydroxyvitamin D ₃ regulates the synthesis of nerve growth factor in primary cultures of glial cells I. Neveu, P. Naveilhan, F. Jehan, C. Baudet, D. Wion, H.F. De Luca and P. Brachet (France, USA)	70
Cloning of a DNA binding protein that is a tyrosine kinase substrate and recognizes an upstream initiator-like sequence in the promoter of the preprodynorphin gene J. Gu, K. Ren, R. Dubner and M.J. Iadarola (USA)	77
DNA regulatory sequences of the rat tyrosine hydroxylase gene direct correct catecholaminergic cell-type specificity of a human growth hormone reporter in the CNS of transgenic mice causing a dwarf phenotype S.A. Banerjee, S. Roffler-Tarlov, M. Szabo, L. Frohman and D.M. Chikaraishi (USA)	89
De novo synthesis of GAP-43: in situ hybridization histochemistry and light and electron microscopy immunocytochemical studies in regenerating motor neurons of cranial nerve nuclei in the rat brain G. Palacios, G. Mengod, M. Sarasa, J. Baudier and J.M. Palacios (Spain, France)	107
Protein kinases mediate basic fibroblast growth factor's stimulation of proliferation and c-fos induction in oligodendrocyte progenitors M. Radhakrishna and G. Almazan (Canada)	118
Differential expression of the short and long forms of the γ_2 subunit of the GABA _A /benzodiazepine receptors C.P. Miralles, A. Gutiérrez, Z.U. Khan, J. Vitorica and A.L. De Blas (USA, Spain)	129
Amyloid precursor protein gene expression in neural cell lines: influence of DNA cytosine methylation S. Ledoux, J. Nalbantoglu and N.R. Cashman (Canada)	140
A 6.1 kb 5' upstream region of the mouse tryptophan hydroxylase gene directs expression of <i>E. coli lacZ</i> to major serotonergic brain regions and pineal gland in transgenic mice S.O. Huh, D.H. Park, J.Y. Cho, T.H. Joh and J.H. Son (USA)	145
Cell type- and region-specific expression of aromatase mRNA in cultured brain cells S. Abe-Dohmae, R. Tanaka and N. Harada (Japan)	153
Chronic GABA treatment downregulates the GABA _A receptor α_2 and α_3 subunit mRNAs as well as polypeptide expression in primary cultured cerebral cortical neurons M.C. Mhatre and M.K. Ticku (USA)	159
Activation of pirenzepine-sensitive muscarinic receptors induces a specific pattern of immediate-early gene expression in rat brain neurons P. Hughes and M. Dragunow (New Zealand)	166

(contents continued on p. 360)



0169-328X(199407)24:1/4;1-C

(contents continued)

Circadian variation of arginine-vasopressin messenger RNA in the rat suprachiasmatic nucleus F.R.A. Cagampang, J. Yang, Y. Nakayama, C. Fukuhara and S.-I.T. Inouye (Japan)	179
A single administration of ethanol simultaneously increases <i>c-fos</i> mRNA and reduces <i>c-jun</i> mRNA in the hypothalamus and hippocampus R.T. Zoeller and D.L. Fletcher (USA)	185
Induction of <i>c-fos</i> and CRF mRNA by MK-801 in the parvocellular paraventricular nucleus of the rat hypothalamus S. Lee, C. Rivier and G. Torres (USA)	192
Binding sites for 5-hydroxytryptamine-2 receptor agonists are predominantly located in striosomes in the human basal ganglia C. Waeber and J.M. Palacios (Switzerland, Spain)	199
Translocation of protein kinase Cs in <i>Aplysia</i> neurons: evidence for complex regulation W.S. Sossin and J.H. Schwartz (USA)	210
Localization of GABA _A receptor subunit mRNAs in the rat locus coeruleus J.M. Luque, P. Malherbe and J.G. Richards (Switzerland)	219
Isolation and characterization of a zebra finch aromatase cDNA: in situ hybridization reveals high aromatase expression in brain P. Shen, C.W. Campagnoni, K. Kampf, B.A. Schlenger, A.P. Arnold and A.T. Campagnoni (USA)	227
Comparison of two <i>Caenorhabditis</i> genes encoding FMRFamide(Phe-Met-Arg-Phe-NH ₂)-like peptides K. Schinkmann and C. Li (USA)	238
Target-deprived CNS neurons express the NGF gene while reactive glia around their axonal terminals contain low and high affinity NGF receptors M.P. Junier, F. Suzuki, B. Onteniente and M. Peschanski (France)	247
Expression of Thy-1/ <i>lacZ</i> fusion genes in the CNS of transgenic mice K.A. Kelley, V.L. Friedrich Jr., A. Sonshine, Y. Hu, J. Lax, J. Li, D. Drinkwater, H. Dressler and K. Herrup (USA)	261
Dexamethasone attenuates kainate-induced AP-1 activation in rat brain T. Unlap and R.S. Jope (USA)	275
Differential expression of <i>fos</i> family and <i>jun</i> family mRNAs in the rat hypothalamo-pituitary-adrenal axis after immobilization stress E. Senba, S. Umemoto, Y. Kawai and K. Noguchi (Japan)	283
Down-regulation of glycine receptor channels by protein kinase C in <i>Xenopus</i> oocytes injected with synthetic RNA M. Uchiyama, K. Hirai, F. Hishinuma and H. Akagi (Japan)	295
Prodynorphin gene expression relates to NF- κ B factors G. Bakalkin, T. Yakovleva and L. Terenius (Sweden)	301
Cloning and expression of a neural differentiation-associated gene, p205, in the embryonal carcinoma cell line P19 and in the developing mouse Y. Imai, Y. Suzuki, M. Tohyama, A. Wanaka and T. Takagi (Japan)	313
Proenkephalin gene expression is altered in the brain of spontaneously hypertensive rats during the development of hypertension J.B. Boone Jr. and D. McMillen (USA)	320
Transfer of the nerve growth factor gene into cell lines and cultured neurons using a defective Herpes Simplex virus vector. Transfer of the NGF gene into cells by a HSV-1 vector M.D. Geschwind, J.A. Kessler, A.I. Geller and H.J. Federoff (USA)	327

Short Communications

Impairment in mitochondrial cytochrome oxidase gene expression in Alzheimer disease K. Chandrasekaran, T. Giordano, D.R. Brady, J. Stoll, L.J. Martin and S.I. Rapoport (USA)	336
A cAMP-dependent Ca ²⁺ signalling pathway at the endplate provided by the γ to ϵ subunit switch in ACh receptors T. Nishizaki and K. Sumikawa (USA)	341
μ Opioid receptor: expression and vagotomy-induced depletion of the mRNA in medullary preganglionic neurons T. Houtani, T. Ueyama, H. Takeshima, S. Kato, K. Fukuda, K. Mori and T. Sugimoto (Japan)	347
Differential expression of the inwardly-rectifying K-channel ROMK1 in rat brain S. Kenna, J. Röper, K. Ho, S. Hebert, S.J.H. Ashcroft and F.M. Ashcroft (UK, USA)	353

<i>Author Index</i>	357
---------------------	-----

